



Ferocon



METAL CABINETS AND SAFES

WWW.FEROCON.UA

About the company.....3-6



SAFES

Furniture safes series *ENERGY*.....8
Furniture safes.....10
Weapons safes.....12
Office safes.....14
Built-in safes.....20
Customized safes.....24



CABINETS

Clothes lockers.....26
Customized clothes lockers.....29
Office cabinets.....30
Cell cabinets.....32
Filing cabinets.....34



OTHER METAL PRODUCTS

Mailboxes.....36
Key holders / Medicine cabinets.....37
Racks.....38
Industrial furniture.....40
Braziers.....42
USEFUL TIPS.....43

About the company



Ukrainian Producer

The "Ferocon" trademark appeared as a result of the expansion of the company "IPCOM" in 2010 and the launch of new products on the market.

TM "Ferocon" is represented by metal furniture and safes. The product portfolio includes: safes, metal cabinets, racks, industrial furniture and other metal products.

The company's pricing policy is aimed at creating an optimal offer for every level of customer.

Our directions:

SAFES

METAL CABINETS

RACKS

INDUSTRIAL
FURNITURE

OTHER METAL
PRODUCTS



FROM IDEA TO IMPLEMENTATION

Ferocon is a leading manufacturer of metal products with modern production facilities in Russia and Ukraine with more than 10 000 m², more than 300 employees and its own design office. Ferocon - is a young and ambitious team, reliable and responsible partner, ready to solve any task and achieve results. We encourage innovation and move fast, improving technologies and solutions in line with the objectives of our partners. Thanks to the flexibility of our production we react quickly to the changing needs of the market and growing demands. Continuous modernization of production and improvement of processes has enabled us to double our output in just one year. We have made sure that we are moving in the right direction, focusing on constant development and attention to customers.



Year of Foundation

2010



ISO Quality System Compliant



Number of Employees

>300 people



Manufacturing Unit size

>10 000 m²




Tonnage of metal processed annually

>2000 tons

PRODUCTION CAPABILITIES

State-of-the-art laser cutting complex

Automated coating line





Manufacturing unit, equipped with modern equipment, allowing to produce quality products



Qualified specialists with many years of experience in the production of metal structures



Developed logistics service that allows you to deliver products on time



Regular development and modernization of production, staff training and improvement of all company processes



SAFES

SAFES

metal furniture



FEROCON

Furniture safes series

ENERGY
series




Innovative design


New type electronic lock


Door thickness 4mm


Removable shelf and a quality mat

- Welded steel case
- Internal hinges
- Door metal thickness - 4mm
- Case metal thickness - 1.5mm
- Type of lock: mechanical or electronic
- Removable shelf and quality mat available
- Anchor holes for wall and floor mounting

ENERGY series furniture safes are a new stylish design line of Ferrocon safes. These safes are new on the territory of Ukraine. They are bright and stylish, their modern design will fit harmoniously into any interior.

Distinctive features of safes **ENERGY** series:

- Stylish innovative design with streamlined corners
- new electronic lock of "drop" type
- door metal thickness 4 mm
- equipped with a removable shelf and a high quality mat
- 5 years warranty for the construction, 1 year warranty for the lock



ENERGY

series



Energy Violet



Energy 25E



Energy 30E



Energy 40E



Energy 65E

Model	Outer dimensions (H*W*D), mm	Removable shelf/ Inner lockable box	Lock type	Weight, kg
Energy Violet	250*350*280	1/0	electronic	12
Energy 25E	250*350*280	1/0	electronic	12
Energy 30E	300*380*300	1/0	electronic	14
Energy 40E	400*400*360	1/0	electronic	19,5
Energy 65E	650*435*360	1/1	electronic	32
Energy 25K	250*350*280	1/0	mechanical	11
Energy 30K	300*380*300	1/0	mechanical	13,5
Energy 40K	400*400*360	1/0	mechanical	19
Energy 65K	650*435*360	1/1	mechanical	31



Furniture safes series BC/EC (BS/ES)

BC-30E.1013



5
Years of Safe
warranty



Electronic lock



Mechanical lock
(key)




Series BC/Series EC

- Welded / all-welded steel case
- Internal hinges
- Thickness of metal door – 3/4mm
- Metal case thickness – 1.2 – 1.5/2mm
- Lock type BC (BS): mechanical or electronic
- Lock type EC (ES): mechanical or electronic
- Anchor holes for wall and floor mounting

Furniture safe - a key tool for the protection of money, valuables and papers, which harmoniously fits into the modern interior of an apartment or an office.

Our company offers a wide range of household furniture safes:

- type of lock to choose from (several types of electronic or key);
- various design and functional performance;
- dark or light color scheme.





BC-17E.9005



BC-21E.7035



EC-26E.9005



BC-22E.7035



BC-20K.7035



EC-20K.9005



BC-25KД.7035




BC-25Д.9005

Model	Outer dimensions (H*W*D), mm	Lock type	Weight, kg
BC-15K.7035	150*200*170	key	2,1
BC-17K.9005	170*230*170	key	2,7
BC-20KД.7035	200*310*200	key	3,6
BC-20K.7035	200*310*200	key	4,3
BC-20K.9005	200*310*200	key	4,3
BC-23K.9005	165*360*320	key	4,9
BC-25KД.7035	250*310*200	key	4
BC-25K.9005	250*350*250	key	5,4
BC-17E.9005	170*230*170	electronic	2,8
BC-20E.9005	200*310*200	electronic	5,2
BC-20E.7035	200*310*200	electronic	5,2
BC-21E.7035	200*310*200	electronic	5
BC-22E.7035	220*370*300	electronic	7,7
BC-24E.9005	200*442*380	electronic	7,8
BC-25E.9005	250-350*250	electronic	6,2
BC-30E.1013	300*380*300	electronic	8,8
BC-25Д.9005	250*350*250	electronic	7,1
BC-25.МК.9005	250*350*250	key	6,5
BC-38K.П1.9005	380*350*360	key	10
EC-20K.9005	200*320*260	key	8
EC-26E.9005	200*450*400	electronic	9,5
EC-30K.9005	300*450*350	key	17,8



Weapons safes



E-137K1.T1.Π2.8004



Years of safe warranty



Electronic lock



Mechanical lock (key)

- Welded steel housing
- Internal hinges
- Thickness of metal door – 1.5 - 5mm
- Case metal thickness – 1.2 - 2mm
- Lock type: mechanical or electronic
- Availability of lodgements
- Anchor holes for wall and floor mounting

A weapons safe is the pride of any hunter, symbolizing the dynamism of his life, in which there is a place for his favorite activity. As it was said in the old days - hunting with a gun and a dog is beautiful in itself. Only a true hunter knows the feeling of wandering through the woods on a July summer morning with his gun on his shoulder. Apparently, in every man slumbers that feeling, which everyone calls the hunting passion.

In everyday life, hunting weapons are not safe, so it is necessary to hide them behind the safe door of the gun safe.





E-100K2.T1.7022



E-130K2.T1.7022



Vertex



E-126K.T1.6006



E-137K1.T1.П2.9005



Barett



E-100K.П3.9005



E-139K1.E1.T1.П2.7022



E-139K2.T1.П2.7022



E-140K.T1.П3.9005



E-148K2.E1.1013




E-150K1.T1.П2.9005

Model	Outer dimensions (H*W*D), mm	Key lock	Number of barrels	Cartridge compartment	Shelves, pcs.	Weight, kg
E-100K2.T1.7022	995*265*225	2	1	yes	no	11,2
E-130K2.T1.7022	1300*265*225	2	1	yes	no	13,7
E-135K2.T1.7016	1350*300*200	2	2	yes	no	15,2
E-126K.T1.6006	1245*265*250	1	2	yes	no	18,8
Barett	1500*300*200	1	3	yes	1	15
Vertex	1200*300*200	1K1Э	1	yes	no	15
E-137K1.T1.П2.9005	1370*390*250	1	3	yes	2	25,5
E-137K1.T1.П2.8004	1370*390*250	1	3	yes	2	25,5
E-150K1.T1.П2.9005	1500*390*250	1	3	yes	3	35
E-139K2.T1.П2.7022	1370*390*250	2K	3 (6)	yes	3	40,5
E-139K1.E1.T1.П2.7022	1370*390*250	1K1Э	3 (6)	yes	3	41,5
E-148K2.E1.1013	1480*320*300	2K1Э	2 (4)	yes	4	38
E-100K.П3.9005	1000*330*250	1	3	no	3	34,8
E-140K.T1.П3.9005	1370*500*380	1	4	yes	3	70



Office safes series **BC/EC (BS/ES)**



Years of safe warranty



Electronic lock



Mechanical lock (key)

Series **BC**/Series **EC**

- Welded steel housing
- Internal hinges
- Door metal thickness - 1.2-4/4mm
- Case metal thickness - 1.2-2/2mm
- Type of lock: mechanical or electronic
- Ability to store all kinds of office documents and folders

An office safe is one of the main elements in building an effective and convenient organization of work with business papers and material values in the company.

Any modern business implies the presence of a large number of valuable documents, important supplies or cash, which must be stored in a safe and a secure place.

Our company offers a wide range of office safes: robust welded construction, different types of locks, various designs with various thickness of metal.





BC-44E2.7035



BC-46K.П1.9005



BC-52K.П1.7035



BC-52E.П1.7035



BC-63K.T1.П1.9005



BC-BBE4.7035



EC-65K.T1.П1.9005



EC-85K.T1.П2.9005



EC-95K.T1.П2.9005



EC-130K2.T1.П2.9005

Model	Outer dimensions (H*W*D), mm	Removable shelf/ Inner lockable box	Weight, kg
BC-44E2.7035	440*370*300	no	14
BC-88E4.7035	880*370*300	no	28
BC-46K.П1.9005	460*440*380	2	16
BC-52K.П1.7035	520*400*360	1	16,8
BC-52E.П1.7035	520*400*360	1	18,2
BC-63K.T1.П1.9005	630*400*380	1/1	27,5
EC-65K.T1.П1.9005	630*460*390	1/1	33
EC-85K.T1.П2.9005	850*400*380	2/1	40
EC-95K.T1.П2.9005	950*400*380	2/1	44,5
EC-130K2.T1.П2.9005	1300*500*400	2/1	72



Office safes series БЛ (BL)



Years of safe warranty



Electronic lock



Mechanical lock (key)



Color RAL

- Welded steel housing
- Internal hinges
- Door metal thickness – from 1.2mm
- Case metal thickness – from 1.2mm
- Reinforced dummy panel
- Type of lock: mechanical or electronic
- Ability to store all kinds of office documents and folders

The **BL series** safe, in the line of varieties of safes, is something between a metal cabinet and an office safe. This metal product differs from the usual classic safe by its large size, which, at the same time, makes it possible to put inside not only a larger number of items, but also things of different sizes.

It has an excellent aesthetic appearance and a pleasant neutral gray color will fit harmoniously into any office interior.





БЛ-65К.Т1.П1.7035



БЛ-65Е.Т1.П1.7035



БЛ-87К.Т1.П1.7035



БЛ-87Е.Т1.П1.7035



БЛ-125К.Т1.П2.7035



БЛ-125Е.Т1.П2.7035



БЛ-127К2.Т1.П2.7035



БЛ-127К1Е1.Т1.П2.7035



БЛ-150К2Е1.Т1.П2.7035



БЛ-185К.П4.7035

Model	Outer dimensions (H*W*D), mm	Removable shelf/ Inner lockable box	Cells	Weight, kg
БЛ-65К.Т1.П1.7035	650*460*340	1/1	-	18
БЛ-65Е.Т1.П1.7035	650*460*340	1/1	-	19
БЛ-87К.Т1.П1.7035	870*460*340	1/1	-	22
БЛ-87Е.Т1.П1.7035	870*460*340	1/1	-	23
БЛ-125К.Т1.П2.7035	1252*460*340	2/1	-	37
БЛ-125Е.Т1.П2.7035	1252*460*340	2/1	-	37
БЛ-127К2.Т1.П2.7035	1275*460*340	2/1	2	33
БЛ-127К1Е1.Т1.П2.7035	1275*460*340	2/1	2	34,5
БЛ-150К2Е1.Т1.П2.7035	1490*460*340	2/2	3	39,5
БЛ-185К.П4.7035	1800*460*340	4/0	-	45



Office safes series OLS



Years of safe warranty



Mechanical lock (key)



Combined color scheme

- Robust welded housing
- Internal hinges
- Door metal thickness - 6mm
- Housing metal thickness - 2mm
- Mechanical English lock Lowe & Fletcher
- Removable shelves
- Reinforced turning ledgers Ø25mm
- Anchor holes for wall and floor mounting

The **OLS series** premium office safe is a stylish safe with enhanced burglary protection for secure storage of valuables. The safe is equipped with an English Lowe & Fletcher lock. Safes are equipped with the bolt locking system of 25mm in diameter and one passive bolt. The lock is secured against drilling. The shelf can be rearranged to enable height adjustment.



Premium Line

- Office safes series OLS -



OLS-PL-30.K



OLS-PL-45.K



OLS-PL-65.K



OLS-PL-105.K



OLS-PL-125.K

Model	Outer dimensions (H*W*D), mm	Removable shelf/ Inner lockable box	Weight, kg
OLS-PL-30.K	300*450*350	1/0	19
OLS-PL-45.K	450*450*350	1/0	26
OLS-PL-65.K	650*450*350	2/1	38
OLS-PL-105.K	1050*450*350	2/1	57
OLS-PL-125.K	1250*450*350	2/1	72



Built-in safes **series WS**



Years of safe warranty



Mechanical lock (key)



Combined color scheme



- Robust welded case
- Design to prevent access to hinges
- Door metal thickness - 8mm
- Housing metal thickness - 2mm
- Mechanical English lock Lowe & Fletcher
- Removable shelves
- Reinforced turning ledgers Ø25mm
- Anchor holes for wall and floor mounting

The **WS series** recessed safe with the reliable English Lowe & Fletcher lock is a great option for storing your valuables. The special design of the fixing of the door, ensuring that the hinges cannot be accessed. The thickness of the metal door is 8.0 mm.

Anchor holes allow you to attach the safe to the wall or floor. Two keys included.




Premium Line

- Office safes series WS -




WS-PL-2116.K



WS-PL-2519.K



WS-PL-3220.K



WS-PL-3227.K

Model	Outer dimensions (H*W*D), mm	Removable shelf/ Inner lockable box	Weight, kg
WS-PL-2116.K	210*300*160	1/0	9
WS-PL-2519.K	250*360*190	1/0	12
WS-PL-3220.K	320*400*200	1/0	18
WS-PL-3227.K	350*430*270	1/0	21



Built-in safes series BC5 (VSB)



Years of safe warranty



Electronic lock



Mechanical lock (key)



Color RAL



- Welded steel case
- Internal hinges
- Door metal thickness – 6mm
- Housing metal thickness – 1.5mm
- Type of lock: mechanical or electronic
- Removable shelves
- Anchor holes for wall and floor mounting

Recessed safe **VSB series** is one of the most reliable options for installing a safe at home or in the office. The thickness of the door is 6 mm. The type of lock may be of your choice - mechanical or electronic. Four anchor holes for attaching to the wall, 2 keys are included. Type of lock - transom.





BCБ-1818.K



BCБ-2518.K



BCБ-2518.E



BCБ-3018.K



BCБ-3018.E

Model	Outer dimensions (H*W*D), mm	Removable shelf/ Inner lockable box	Weight, kg
BCБ-1818.K	180-250*180	no	5,3
BCБ-2518.K	250*300*180	no	7,7
BCБ-2518.E	250*300*180	no	7,8
BCБ-3018.K	300*400*180	no	11
BCБ-3018.E	300*400*180	no	11,1



Customized safes

TM «Ferocon» has everything you need to produce custom-made safes. A fine-tuned production line allows us to meet any request of the customer. Our specialists are ready to help you with the selection and drawing-up of the optimal Technical Requirements.

For you, we can produce safes according to individual specifications which correspond to the following parameters:

- made of metal with thickness of up to 10mm;
- inner lockable boxes with additional shelves or other configurations;
- removable and adjustable shelves;
- electronic or mechanical locks;
- gun trays (lodgements);
- any color for your safe.



We will gladly take on any individual order. We will produce a safe that meets all your requirements and your wishes.

Choice of locks

Mechanical locks provide a high level of security and reliability, protection against drilling and knocking. Electronic locks are protected against code matching. Electronic-mechanical locks differ from electronic ones by the fact that it is needed to turn the handle to open the lock preceded by entering the correct combination of digits.

Color options



Cabinets

CABINETS

metal furniture



FEROCON



Clothes lockers series HO/ШС (NO/ShS)



2
Years of locker
warranty

Series HO (NO)/series ШС (ShS)

- Prefab/all-welded case
- Simple assembly (NO series)
- Ventilation holes
- Shelf for headdress
- Hooks for towels (from 6 pcs. on)
- Crossbar/bracket for hangers
- Powder-polymer coating

Clothes lockers - practicality, reliability and functionality. The combination of convenience and comfort is provided by shelves, hooks and other accessories. They perfectly cope with their role, both in children's changing rooms and in sports complexes. Also, lockers will help solve the problem of collecting and storing work clothes at factories and enterprises. Thanks to neutral color solutions, metal cabinets will easily fit into any interior.





ШС-11-01-03



HO-24-01-06



ШС-22-01-06



ШС-22-01-08

Model	Outer dimensions (H*W*D), mm	Number of sections/doors	Lock type
HO 11-01-03*18*05-Ц-7035	300*1800*500	1/1	flip
HO 11-01-04*18*05-Ц-7035	400*1800*500	1/1	flip
HO 12-01-03*18*05-Ц-7035	300*1800*500	1/2	flip
HO 12-01-04*18*05-Ц-7035	400*1800*500	1/2	flip
HO 22-01-06*18*05-Ц-7035	600*1800*500	2/2	flip
HO 22-01-08*18*05-Ц-7035	800*1800*500	2/2	flip
HO 24-01-06*18*05-Ц-7035	600*1800*500	2/4	flip
HO 24-01-08*18*05-Ц-7035	800*1800*500	2/4	flip
Module HO 11-01-03*18*05-Ц-7035	300*1800*500	1/1	flip
Module HO 11-01-04*18*05-Ц-7035	400*1800*500	1/1	flip
HO 12-03-04*18*05-Ц-7035	400*1800*500	1/2	flip
HO 24-03-08*18*05-Ц-7035	800*1800*500	2/4	flip
ШС-11-01-03*18*05-Ц-7035	300*1800*500	1/1	flip
ШС-11-01-04*18*05-Ц-7035	400*1800*500	1/1	flip
ШС-22-01-06*18*05-Ц-7035	600*1800*500	2/2	flip
ШС-22-01-08*18*05-Ц-7035	800*1800*500	2/2	flip



Clothes lockers series МШШ/ШБМ (MShSh/ShBM)

Series МШШ (MShSh)



Series ШБМ (ShBM)



Cabinet for schools and kindergartens series MShSh

- Additional height type – 1500 mm
- Ability to choose color (from 8 options on)
- Shelf for headdress
- Crossbar for hangers
- Powder-polymer coating

Laundry cabinet ShBM series

- Simple assembly
- The number of individual cells is up to 10 pcs.
- Powder-polymer coating

Model	Outer dimensions (H*W*D), mm	Number of sections/doors	Lock type	Color
МШШ 24-06*15*49-Ц	600*1500*500	2/4	flip	Customer choice
МШШ 24-08*15*49-Ц	800*1500*500	2/4	flip	Customer choice
МШШ 24-06*18*49-Ц	600*1800*500	2/4	flip	Customer choice
МШШ 24-08*18*49-Ц	800*1800*500	2/4	flip	Customer choice

Model	Outer dimensions (H*W*D), mm	Number of sections	Lock type	Central lock
ШБМ-1	380*1820*450	1	flip	Door-lock
ШБМ-5	380*1820*450	5	flip	-
ШБМ-10	380*1820*450	10	flip	-



Customized clothes lockers

TM "Ferocon" has everything necessary for manufacturing of custom-made clothes lockers. A fine-tuned production line allows meeting any client's request. Our specialists are ready to help you with the selection and preparation of the optimal Technical Assignment.

For you, we can make lockers according to the individual specifications which correspond to the following parameters:

- any overall dimensions
- any metal thickness
- perforation for ventilation in any part of the cabinet
- a diverse color palette
- type of painting: gloss or shagreen
- individual cabinet configuration options



Accessories for lockers

Bench CB-1000

Bench CB-1200

Bench CB-1500

Bench CB-2000

Folding bench for CO-300

Folding bench for CO-400

A set of legs HP 4pcs. 100pcs.

A set of legs HP 4pcs. 150pcs.

Retractable bench for cabinet 600

Retractable bench for cabinet 800

Standing bench for cabinet 600

Standing bench for cabinet 800

Shelf for footwear 300mm

Shelf for footwear 400mm

All TM "Ferocon" metal lockers can be supplemented with various accessories that will give a locker a harmonious appearance or add useful functions. You can use both ready-made accessories and order the development and production of atypical accessories for lockers.





Office cabinets series ШСБ/АШБ (ShSB/AShB)



2
Years of cabinet
warranty

- All-welded case
- Availability of shelves
- Postal lock type (ASHB - central)
- Stylish office color
- Ability to store all types of office documents and folders

What is needed to make your workplace more comfortable? - Comfortable furniture, moreover, functional, so that every document was in its place, and heaps of papers did not grow on the desks.

Office cabinets are one of the tools for creating the image of a successful company, both for employees and for visitors. They also perfectly fit into the interior of the office and are harmoniously combined with other pieces of furniture.





ШСБ-12-02-08*09*04



ШСБ-11-01-04*18*04



ШСБ-12-02-06*18*04



АШБ-11-01-04*045*04



АШБ-12-02-06*045*04



АШБ-12-02-08*045*04

Model	Outer dimensions (H*W*D), mm	Number of sections/doors	Lock type	Number of shelves
ШСБ-11-01-04*18*04-Ц-7035	400*1800*400	1/1	handle-lock	4
ШСБ-12-02-08*09*04-Ц-7035	600*900*400	1/2	handle-lock	4
ШСБ-12-02-06*18*04-Ц-7035	600*1800*400	1/2	handle-lock	4
ШСБ-12-02-08*18*04-Ц-7035	800*1800*400	2/2	handle-lock	8
АШБ-11-01-04*045*04-Ц-7035	400*450*400	1/1	central lock	1
АШБ-12-02-06*045*04-Ц-7035	600*450*400	1/2	central lock	1
АШБ-12-02-08*045*04-Ц-7035	800*450*400	1/2	central lock	1



Cell cabinets series НЯ (NYa)



Years of cabinet warranty

- Postal type lock
- Powder-polymer coating
- The number of sections (cells) is from 2 to 12 pcs. (and more)
- Each section is equipped with an individual lock

Nowadays, it is difficult to imagine life without modern supermarkets. Many have already admitted that their selection and quality of products is better and better than, for example, on the market, and the prices are lower. In addition, large supermarkets significantly save our time. Cell cabinets are an integral attribute of modern super and hypermarkets. Capacious, and universal cubicles accommodate customers' belongings convenient and securely store them.





HЯ-14-01-04



HЯ-16-01-04



HЯ-26-01-06



HЯ-28-01-08

Model	Outer dimensions (H*W*D), mm	Number of sections/doors	Lock type	Number of cells
HЯ-12-01-03*18*05-7035	300*1800*500	1	postal	2
HЯ-12-01-04*18*05-7035	400*1800*500	1	postal	2
HЯ-13-01-03x18x05-7035	300*1800*500	1	postal	3
HЯ-13-01-04x18x05-7035	400*1800*500	1	postal	3
HЯ-14-01-03x18x05-7035	300*1800*500	1	postal	4
HЯ-14-01-04x18x05-7035	400*1800*500	1	postal	4
HЯ-16-01-03x18x05-7035	300*1800*500	1	postal	6
HЯ-16-01-04x18x05-7035	400*1800*500	1	postal	6
HЯ-24-01-06x18x05-7035	600*1800*500	2	postal	4
HЯ-24-01-08x18x05-7035	800*1800*500	2	postal	4
HЯ-26-01-06x18x05-7035	600*1800*500	2	postal	6
HЯ-26-01-08x18x05-7035	800*1800*500	2	postal	6
HЯ-28-01-06x18x05-7035	600*1800*500	2	postal	8
HЯ-28-01-08x18x05-7035	800*1800*500	2	postal	8
HЯ-212-01-06x18x05	600*1800*500	2	postal	12
HЯ-212-01-08x18x05	800*1800*500	2	postal	12



Filing cabinets



Years of cabinet warranty

- The maximum permissible load per drawer is 30kg
- Dimensions of drawers are designed for storing folders
- Equipped with an anti-tip device that prevents more than one drawer from being pushed out at the same time

A filing cabinet is a stylish and practical solution for a modern office. Even the owner of a comfortable and innovative office, equipped with computers, office equipment and electronic media, will not be able to completely get rid of paper documentation. Seals, key partnership and client contracts, tax returns, labor contracts - all these documents require careful storage. Filing cabinets are a practical and environmentally friendly storage solution.





Ferocon 1.025



Ferocon 3.058



Ferocon 4.075



Ferocon 5.091



Ferocon 6.107



Ferocon 3.097



Ferocon 4.127



Ferocon 5.156



Ferocon 5A.156

Model	Outer dimensions (H*W*D), mm	Number of drawers	Lock type
Filing cabinet 1.025	315*255*585	1	central lock
Filing cabinet 1Y.025	315*255*382	1	central lock
Filing cabinet 3.058	561*583*602	3	central lock
Filing cabinet 4.075	561*746*602	4	central lock
Filing cabinet 5.091	561*909*602	5	central lock
Filing cabinet 6.107	561*1072*602	6	central lock
Filing cabinet 6.134	561*1072*602	6	central lock
File cabinet 3.097	488*973*602	3	central lock
File cabinet 4.127	488*1266*602	4	central lock
File cabinet 5.156	488*1559*602	5	central lock
File cabinet 5A.156	900*1559*497	5	central lock



Mailboxes


PB-01

PB-02

PB-03

PB-04

PB-05

PB-07

ЯП-1

ЯП-3

PB-06

PBC-15

PBC-16

Model	Outer dimensions (H*W*D), mm	Lock type
PB-01	235*355*40	postal
PB-02	295*385*110	postal
PB-03	260*380*70	postal
PB-04	350*305*70	postal
PB-05	260*320*70	postal
PB-06	435*475*70	postal
PB-07	167*233*36	postal
ЯП-1	167*233*36	postal
ЯП-2	260*380*70	postal
ЯП-3	230*395*85	postal
PBC-15 multi-section	385*725*145	postal
PBC-16 multi-section	385*830*145	postal
PBC-17 multi-section	385*935*145	postal



Key Holders/Medicine cabinets



КЛ-30



КЛ-60



КЛ-120



КЛ-240



АП-1-01



АП-1-02

* All key holders are supplied without trinkets

Model	Outer dimensions (H*W*D), mm	Number of shelves/keys	Lock type
Medicine cabinet АП-1-01	300*350*150	2	flip
Medicine cabinet АП-1-02	300*400*150	3	flip
Key holder КЛ-30	350*360*80	30	flip
Key holder КЛ-60	350*360*80	60	flip
Key holder КЛ-120	350*360*80	120	flip
Key holder КЛ-240	700*360*80	240	flip


Racks series STRONG

STRONG-Mini

STRONG-10-175

STRONG-20-200

STRONG-40-200


Year of rack warranty



Up to 200kg load per shelf

- Up to 200kg load per shelf
- Galvanized coating
- Height adjustment of shelves
- L-shaped heel pads are put on the racks' pillars
- Simple assembly

Model	Outer dimensions (H*W*D), mm	Number of shelves (pcs.)	Load per Shelf (kg)	Weight (kg)
STRONG-Mini	710*1500*310	4	100	15
STRONG-5-80	800*1600*400	4	80	8
STRONG-10-175	900*1800*400	5	175	10
STRONG-20-200	910*1800*460	5	200	25
STRONG-45-175	900*2000*600	5	175	13
STRONG-40-200	1110*2200*460	5	200	26



Racks series EXPERT



- Maximum height of the rack section is 2500mm
- Maximum width of the rack section is 1150mm
- Maximum depth of the rack section is 600mm
- Maximum distributed load per shelf is 140kg
- Maximum distributed load per section is 650kg
- Step for rearranging the shelves is 30 mm
- Material of the shelf is 1.0mm St. 08 KP

Model	Outer dimensions (H*W*D), mm	Load on shelf, subject to usage, (H*W)	Weight (kg)
Пс-1 Shelf with fasteners 750*300	750*25*300	120*140	2,25
Пс-1 Shelf with fasteners 750*400	750*25*400	120*140	3,17
Пс-1 Shelf with fasteners 750*500	750*25*500	120*140	3,8
Пс-1 Shelf with fasteners 750*600	750*25*600	120*140	4,72
Пс-1 Shelf with fasteners 1000*300	1000*25*300	120*140	2,96
Пс-1 Shelf with fasteners 1000*400	1000*25*400	120*140	4,17
Пс-1 Shelf with fasteners 1000*500	1000*25*500	120*140	5
Пс-1 Shelf with fasteners 1000*600	1000*25*600	120*140	6,21
Пс-1 Shelf with fasteners 1150*300	1150*25*300	120*140	3,38
Пс-1 Shelf with fasteners 1150*400	1150*25*400	120*140	4,76
Пс-1 Shelf with fasteners 1150*500	1150*25*500	120*140	5,71
Пс-1 Shelf with fasteners 1150*600	1150*25*600	120*140	7,1
CC-1,5-1000mm Stand rack	35*1000*35	-	0,76
CC-1,5-1500mm Stand rack	35*1500*35	-	1,21
CC-1,5-1800mm Stand rack	35*1800*35	-	1,36
CC-1,5-2000mm Stand rack	35*2000*35	-	1,49
CC-1,5-2500mm Stand rack	35*2500*35	-	1,87
Shelf limiter OC.00-300	1*25*297	-	0,075
Shelf limiter OC.00-400	1*25*397	-	0,094
Shelf limiter OC.00-500	1*25*497	-	0,114
Shelf limiter OC.00-600	1*25*597	-	0,134
A set of fasteners with reinforcement KY (8 pcs.)	-	-	8,8
Side wall for rack 500*300 СБ-1	10*450*300	-	0,55
Side wall for rack 500*400 СБ-1	10*450*400	-	0,72
Side wall for rack 500*500 СБ-1	10*450*500	-	0,9
Side wall for rack 500*600 СБ-1	10*450*600	-	1,08
Side wall for rack 1000*300 СБ-1	10*930*300	-	1,13
Side wall for rack 1000*400 СБ-1	10*930*400	-	1,5
Side wall for rack 1000*500 СБ-1	10*930*3500	-	1,88
Side wall for rack 1000*600 СБ-1	10*930*600	-	2,22



Industrial furniture

Workbenches


BCM-12

BCM-12Ц

BCM-12-01

BCM-12-01Ц

BCM-15-03

BCM-15-03Ц

Model	Outer dimensions (H*W*D), mm	Table top	Drawers (pcs.)
Workbench BCM-12	1200*855*622	plywood	-
Workbench BCM-12Ц	1200*855*623	galvanized	-
Workbench BCM-12-01	1200*855*620	plywood	2
Workbench BCM-12-01Ц	1200*855*621	galvanized	2
Workbench BCM-15-03	1200*855*624	plywood	1
Workbench BCM-15-03Ц	1200*855*625	galvanized	1

Instrument cabinets


ШИ-1

ШИ-2-П4

ШИ-2-П4

ШМ-1

Model	Outer dimensions (H*W*D), mm	Number of shelves	Peculiarities
ШИ-1	800*1800*500	4	perforated back wall
ШИ-2-П4	1000*1970*500	4	perforated back wall
ШИ-2-П3-В3	1000*1970*500	3	drawers, 3 pcs.
ШМ-1	800*1800*300	9	containers for hardware, 50 pcs.

Mobile drawer units

Mobile drawer units are used to optimize the workplace at service stations, repair shops, and compact storage of working tools. Units can be produced in various dimensions and can be equipped with the desired number of drawers. To ensure safety of tools, appliances and small parts, a unit can be equipped with a central lock. Another useful option is the installation of wheels for free movement in the workplace.

It has been proven that workplace optimization allows to increase productivity and significantly reduce the operational time. We will manufacture the necessary equipment based on individual requests to increase the efficiency of your work.

Tool trolleys

Tool trolleys are intended for moving goods, hardware, parts and tools all over the production premises. Professional carts are used by industrial enterprises, manufacturing plants, auto-service centers and workshops. We have a lot of experience and ready-made solutions that can optimize work in the workshop or at production, due to a proper organization of the work environment and convenient provision and handling of the required materials.





Braziers



K-95 Tourist



K-107 Charcoal



K-205



K-523



K-585



K-602 One-tier



K-687 Two-tier



Profi Compact



Profi Premium



Profi Ultra

Model	Outer dimensions (H*W*D), mm	Weight, kg	Description
Thin-wall braziers			
K-95 Tourist	50*32	0,93	simple design
K-107 Charcoal	35*30*30	2,2	ventilation holes
K-205	50*30*30	2,7	ventilation holes
Grill Premium			
K-523	65*43*50	12,5	ventilation holes
K-585	44*28*30	6,4	ventilation holes
K-602 One-tier	44*47*30	7,2	ventilation holes
K-687 Two-tier	58*69*37	12,6	ventilation holes, 2 tiers
Profi Compact	60*102*42	26,6	ventilation holes, 3 valves, a forged stand, a bath for coals, a lid for coals
Profi Premium	109*107*47	46,7	ventilation holes, 3 valves, a forged stand, a bath for coals, a lid for coals
Profi Ultra	193*157*57	34,3	ventilation holes, 3 valves, a forged stand, a bath for coals, a lid for coals, visor, grill for products

Useful tips

... about safes



1. Having received two keys included with the safe, one of them must be securely hidden. Do not make a mistake - do not put the duplicate into the safe!



3. Install the safe in a remote, hidden location where lack of space is an obstacle to the use of large burglary tools.



5. Install the safe according to the building level (the door of the safe should open from left to right, the safe should be built into an opening 2 centimeters deeper than the outer edge of the wall).

... about metal cabinets



7. Metal cabinets should be installed in warm, well-ventilated rooms, with a temperature range of +10...+35°C and a relative humidity of no more than 60%.

... about braziers



9. Before the first use, it is necessary to burn the brazier to remove the preservative grease from its surface.

8 8 2 5

2. Periodically change the code so that it is impossible to figure it out on a more worn surface of the buttons.



4. For fastening safes, it is recommended to use wedge anchors that can withstand a breaking load from 500kg to 3 tons. The length of the anchors is from 5 to 30cm, the diameter is from 5 to 20mm.



6. To improve the attachment of the safe to the wall, we recommend wrapping it with a welded metal mesh with a cell, placing it at a distance of 30mm from the case on four sides.



8. It should be ensured that the ventilation holes are not blocked. We also do not recommend storing wet items to prevent premature corrosion.



10. Observe fire safety rules while using the brazier.

For Notes

Lined area for notes with horizontal dashed lines.



Lviv, Zelena St, 149, bild 8a, 79035.
Kraków, ul. Zamknięta 10/lok. 1.5, 30-554



+48-45-95-68-856



info@ipcom-group.pl

SAFES



METAL CABINETS



RACKS



INDUSTRIAL
FURNITURE



OTHER METAL
PRODUCTS



WWW.IPCOM-GROUP.PL